


168.45



Numark Simple Linctus BP

About this product: Numark Simple Linctus BP is taken to relieve coughs.

Dosage: Oral Solution

Adults and children over 12 years: Take one or two 5ml spoonfuls (5ml to 10ml). The above doses may be taken up to

4 times daily.

Do not give to children under 12 years.

Side Effects: May upset the stomach or

cause dental decay if taken in large doses.

Reporting of side effects: If you get any

Reporting of side effects: If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed above. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

Warnings: Do not use if you are allergic to any of the ingredients, or if you are taking any products containing potassium tartrate, carbonates or bicarbonates. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before using this medicinal product. Contains 8.6g of sucrose per 10ml dose. This should be taken into account in patients with diabetes mellitus.

Active Ingredient: Citric Acid Monohydrate 125mg per 5ml.

Other Ingredients: Sucrose, Water, Polysorbate 20 and Star Anise Oil.

Storage: Keep out of the sight and reach of children.
Do not store above 25°C.

C71-4512 Ver. F PIP 027-4159 Revised 02/2019 PL 03105/0064




Manufacturer and Product Licence Holder: Bell, Sons & Co. (Druggists) Ltd., Southport, PR9 9AL, UK. Produced for Numark, Amber Close, Tamworth, Staffs, B77 4RP, UK. **BRAILLE:** Numark

Simple Linctus BP

65

65

168.45



65

Numark Simple Linctus BP

About this product: Numark Simple Linctus BP is taken to relieve coughs.

Dosage: Oral Solution Adults and children over 12 years: Take one or two 5ml spoonfuls (5ml to 10ml). The above doses may be taken up to 4 times daily.

Do not give to children under 12 years.

Side Effects: May upset the stomach or cause dental decay if taken in large doses.

Reporting of side effects: If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed above. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

Warnings: Do not use if you are allergic to any of the ingredients, or if you are taking any products containing potassium tartrate, carbonates or bicarbonates. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before using this medicinal product. Contains 8.6g of sucrose per 10ml dose. This should

be taken into account in patients with diabetes mellitus. Active Ingredient: Citric Acid Monohydrate 125mg per 5ml. Other Ingredients: Sucrose, Water,

Storage: Keep out of the sight and reach of children. Do not store above 25°C.

Polysorbate 20 and Star Anise Oil.

C71-4512 Ver. F PIP 027-4159 Revised 02/2019 PL 03105/0064



Manufacturer and Product Licence Holder: Bell, Sons & Co. (Druggists) Ltd., Southport, PR9 9AL, UK. Produced for Numark, Amber Close, Tamworth, Staffs, B77 4RP, UK.

