65

65

168.45

Numark Chesty Cough

About this product: Numark Chesty Cough Compound of Glycerin, Lemon and Ipecacuanha is taken for the relief of coughs.

Dosage: Liquid for oral use.

Adults, the elderly and children over 12 years of age: Take 5 to 10ml, 3 to 4 times daily.

Not more than 4 doses should be taken in any 24 hours. Do not take more medicine than the label tells you to. If you accidentally take too much contact your nearest hospital immediately. Do not take with any other cough and cold medicines.

Not recommended for children under 12 years.

Warnings: Do not use if: you are allergic to any of the ingredients, you are in shock, are at risk of seizure, have blood circulation problems, have kidney, liver or heart problems, are pregnant or breast-feeding unless on the advice of your doctor. If you are taking other medicines, check with your doctor or pharmacist before taking this medicine.

Ipecacuanha Liquid Extract may interact with antiarrhythmic drugs. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before using this medicinal product. Contains 3.2g of sucrose per 10ml dose. This should be taken into account in patients with diabetes mellitus.

This medicinal product also contains ethanol, E123, E214, E216 and E218. See further warnings.

NUMARKO

Chesty Cough

Compound of Glycerin, Lemon & Ipecacuanha

Glycerin & Ipecacuanha Liq. Ext Oral Solution

For the relief of coughs

200 ml €

Active Ingredients: Ipecacuanha Liquid Extract 9.8mcl and Glycerin 0.5ml per 5ml.

Storage: Keep out of the sight and reach of children. Do not store above 25°C.

Store away from direct sources of heat and sunlight.

Manufacturer and Product Licence Holder:

Bell, Sons & Co. (Druggists) Ltd., Southport, PR9 9AL, UK.

Produced for: Numark, Amber Close, Tamworth, Staffs, B77 4RP. UK.

PL 03105/0056

C71-0200 Ver. D Revised Mar. 2019



PIP 379-9178



Peel back at red tab for further important information.

Do not remove.

168.45

Numark Chesty Cough About this product: Numark Chesty Cough Compound of Glycerin, Dosage: Liquid for oral use.

Lemon and pedacuarina staken for the relief of coughs.

Adults, the elderly and children over 12 years of age: Take 5 to 12ml 3 to 4 times daily

Not more than odeses shoulebe talonin any 44 hours. Do not take more medicine than the label alls you to. If pour accidentally take too much contact your nearest hospital immediately. Do not take with any other caughand cold medicines

Not recommende for childen unde 12 years. ●

Warnings: Do not use if: you are allergic to any or the ingredients, you are in shock, are at risk of seizure, have blood circulation problems, have kidney, liver or heart-problems, are bregnant or breast-feeding unless on the advice of your doctor. If you are taking other medicines, check with your doctor pharmacist efore taking this medicine.

Ipecacuanha Liquid Extract may interact with antiarrhythmic drugs. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before using this medicinal product. Contains 3.2g of sucrose per 10ml dose. This should be taken into account in patients with diabetes mellitus.

This medicinal product also contains ethanol, E123, E214, E216 and E218. See further warnings.

NUMARKO

Chesty .Cough

.Compound of Glycerin, Lemon & lpecacuanha

Glycerin & Ipecacuanha Liq. Ext

Oral Solution

For the relief of coughs

200 ml €

Active Ingredients: Ipecacuanha Liquid Extract 9.8mcl and Glycerin 0.5ml per 5ml.

Storage: Keep out of the sight and reach of children. Do not store above 25°C.

Store away from direct sources of heat and sunlight.

Manufacturer and Product Licence Holder: Bell, Sons & Co. (Druggists) Ltd., Southport, PR9 9AL, UK.

Produced for: Numark, Amber Close, Tamworth, Staffs, B77 4RP, UK.



PIP 379-9178




Peel back at red tab for further important information.

Do not remove.

BRAILLE: Numark Chesty Cough Compound of Glycerin

Lemon and Ipecacuanha



Further Warnings: This medicinal product contains small amounts of ethanol (alcohol), less than 100mg per 10ml dose.

Contains E123 – may cause allergic reactions.

Contains E214, E216 and E218 – may cause allergic reactions (possibly delayed). Side Effects:

May cause indigestion, nausea, vomiting, diarrhoea and cardiac conduction

abnormalities (Heart palpitations). Reporting of side effects:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this label. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine. Full Ingredients List:

Ipecacuanha Liquid Extract 9.8mcl and Glycerin 0.5ml per 5ml. Glucose, Sucrose, Citric Acid E330, Lemon Oil, Acetic Acid E260, Camphor, Ethylhydroxybenzoate E214, Propylhydroxybenzoate E216, Methylhydroxybenzoate E218, Amaranth E123, Ethanol and Purified Water. Manufacturer and Product Licence Holder:

Bell, Sons & Co. (Druggists) Ltd., Southport, PR9 9AL, UK. PL 03105/0056