

Clinically proven relief
for aches & pains

Belladonna Plaster



Belladonna Plaster

Belladonna Alkaloids
0.25% w/w



Muscular Tension
& Strain

Stiff Neck
& Aching
Shoulders

Back Ache

Sciatica

Lumbago

Rheumatism



Clinically proven relief
for aches & pains



2 SELF ADHESIVE PLASTERS
ON WHITE CLOTH

12.5cm x 9.5cm



Clinically proven relief
for aches & pains

Belladonna Plaster



Belladonna Plaster

Belladonna Alkaloids 0.25% w/w

Belladonna Self Adhesive Plaster stimulates blood flow to relieve aches and pains.

RECOMMENDED FOR:

Muscular tension and strain, stiff neck and aching shoulders, sciatica, lumbago, rheumatism and back ache.

BEFORE YOU USE BELLADONNA PLASTER

Do not use if you:-

- suffer from glaucoma
- are allergic to adhesive plasters
- have inflamed or broken skin
- have applied any other medication to the skin
- are using a medication that contains antihistamines

Do not use on the face.

TAKE SPECIAL CARE

Not recommended for use by:-

- children under 10 years old
- pregnant or breast feeding women

If in doubt ask the pharmacist for advice.

- Skin irritation occasionally occurs while using his product.
- If the skin beneath the plaster begins to hurt, remove the plaster immediately and wash with soap and water.
- If any unwanted effects occur, discontinue use and talk to your doctor or pharmacist.
- Do not use after the expiry date shown.
- If symptoms persist consult your doctor.

2 PLASTERS 12.5cm x 9.5cm

USE ONLY ON THE SKIN

CLEAR AREA

POSSIBLE SIDE EFFECTS:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this pack. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard.

DIRECTIONS FOR USE

For adults and children over 10 years of age only. The Plaster may be cut to a convenient size before removing the backing paper.

1. Ensure the area to be treated is clean and dry.
2. Remove the backing paper from the Plaster and apply to the affected area.
3. The Plaster should be removed after 2-3 days. Ensure that the Plaster is dry before removing.
4. Apply another Plaster if required.



Each plaster contains an active ingredient 0.25% Belladonna Alkaloids and also contains Lanolin, Natural Rubber, partially Hydrogenated Wood Resins, Corn Starch, Kaolin, 2,5, di-tert-amylhydroquinone.

STORAGE INSTRUCTIONS

Do not store above 25°C

Store in original packaging

Keep away from sources of direct heat and sunlight

Keep out of the sight and reach of children

Date of Information: April 2016.



Manufacturer and Product Licence Holder
CUXSON GERRARD & COMPANY LIMITED,
Broadwell Road, Oldbury,
West Midlands, B69 4BF, England.

PL 0089/5013R

Belladonna Plaster

Belladonna Alkaloids 0.25% w/w

Belladonna Self Adhesive Plaster stimulates blood flow to relieve aches and pains.

RECOMMENDED FOR:

Muscular tension and strain, stiff neck and aching shoulders, sciatica, lumbago, rheumatism and back ache.

BEFORE YOU USE

BELLADONNA PLASTER

Do not use if you:-

- suffer from glaucoma
- are allergic to adhesive plasters
- have inflamed or broken skin
- have applied any other medication to the skin
- are using a medication that contains antihistamines

Do not use on the face.

TAKE SPECIAL CARE

Not recommended for use by:-

- children under 10 years old
 - pregnant or breast feeding women
- If in doubt ask the pharmacist for advice.

- Skin irritation occasionally occurs while using his product.
- If the skin beneath the plaster begins to hurt, remove the plaster immediately and wash with soap and water.
- If any unwanted effects occur, discontinue use and talk to your doctor or pharmacist.
- Do not use after the expiry date shown.
- If symptoms persist consult your doctor.

1 PLASTER 12.5cm x 9.5cm

USE ONLY ON THE SKIN

CLEAR AREA

POSSIBLE SIDE EFFECTS:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this pack. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard.

Belladonna Plaster

Belladonna Alkaloids
0.25% w/w

Muscular Tension
& Strain

Stiff Neck &
Aching Shoulders

Back Ache

Sciatica

Lumbago

Rheumatism



Clinically proven relief
for aches & pains

**Cuxson
Gerrard**

**1 SELF ADHESIVE PLASTER
ON WHITE CLOTH**

12.5cm x 9.5cm



DIRECTIONS FOR USE

For adults and children over 10 years of age only. The Plaster may be cut to a convenient size before removing the backing paper.

1. Ensure the area to be treated is clean and dry.
2. Remove the backing paper from the Plaster and apply to the affected area.
3. The Plaster should be removed after 2-3 days. Ensure that the Plaster is dry before removing.
4. Apply another Plaster if required.



Each plaster contains an active ingredient 0.25% Belladonna Alkaloids and also contains Lanolin, Natural Rubber, partially Hydrogenated Wood Resins, Corn Starch, Kaolin, 2,5, di-tert-amyhydroquinone.

STORAGE INSTRUCTIONS

Do not store above 25°C

Store in original packaging

Keep away from sources of direct heat and sunlight

Keep out of the sight and reach of children

Date of Information: April 2016.

**Cuxson
Gerrard**



MADE IN
ENGLAND

Manufacturer and Product Licence Holder
CUXSON GERRARD & COMPANY LTD,
Broadwell Road, Oldbury,
West Midlands, B69 4BF, England.

PL 0089/5013R

Belladonna Plaster

Belladonna Alkaloids 0.25% w/w

Belladonna Self Adhesive Plaster stimulates blood flow to relieve aches and pains.

RECOMMENDED FOR:

Muscular tension and strain, stiff neck and aching shoulders, sciatica, lumbago, rheumatism and back ache.

BEFORE YOU USE BELLADONNA PLASTER

Do not use if you:-

- suffer from glaucoma
- are allergic to adhesive plasters
- have inflamed or broken skin
- have applied any other medication to the skin
- are using a medication that contains antihistamines

Do not use on the face.

TAKE SPECIAL CARE

Not recommended for use by:-

- children under 10 years old
- pregnant or breast feeding women

If in doubt ask the pharmacist for advice.

- Skin irritation occasionally occurs while using this product.
- If the skin beneath the plaster begins to hurt, remove the plaster immediately and wash with soap and water.
- If any unwanted effects occur, discontinue use and talk to your doctor or pharmacist.
- Do not use after the expiry date shown.
- If symptoms persist consult your doctor.

POSSIBLE SIDE EFFECTS:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this pack. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard.

USE ONLY ON THE SKIN

DIRECTIONS FOR USE

For adults and children over 10 years of age only. The Plaster may be cut to a convenient size before removing the backing paper.

1. Ensure the area to be treated is clean and dry.
2. Remove the backing paper from the Plaster and apply to the affected area.
3. The Plaster should be removed after 2-3 days. Ensure that the Plaster is dry before removing.
4. Apply another Plaster if required.



Each plaster contains an active ingredient 0.25% Belladonna Alkaloids and also contains Lanolin, Natural Rubber, partially Hydrogenated Wood Resins, Corn Starch, Kaolin, 2,5, di-tert-amylhydroquinone.

CLEAR AREA

1 PLASTER 28cm x 17.5cm


STORAGE INSTRUCTIONS

Do not store above 25°C
Store in original packaging
Keep away from sources of direct heat and sunlight
Keep out of the sight and reach of children
Date of Information: April 2016.

Belladonna Plaster

Belladonna Alkaloids
0.25% w/w

Recommended for:
Muscular Tension & Strain
Stiff Neck & Aching Shoulders
Back Ache
Sciatica
Lumbago
Rheumatism



Clinically proven relief
for aches & pains

**Cuxson
Gerrard**

1 SELF ADHESIVE PLASTER
ON WHITE CLOTH
28cm x 17.5cm



CONSEILS D'UTILISATION

La taille du pansement adhésif peut être adaptée à la plaie avant de retirer le papier protecteur.

1. Assurez-vous que la zone à traiter est propre et sèche.
2. Retirez le papier protecteur du pansement adhésif puis appliquez sur la zone atteinte.
3. Au delà de 2 ou 3 jours, il est préférable d'ôter le pansement.

ATTENTION

Ne pas utiliser dans les cas suivants:

- Glaucome
- Allergie aux pansements adhésifs
- Inflammation et lésion de la peau
- Application d'autres médicaments sur la peau
- Utilisation de médicaments antihistaminiques

PRECAUTIONS D'USAGE

Usage déconseillé aux:

- enfants de moins de 10 ans
- femmes enceintes et mères qui allaitent. Ne pas utiliser au delà de la date d'expiration indiquée.

POUR USAGE EXTERNE UNIQUEMENT

Si les symptômes persistent, veuillez consulter votre médecin.

A maintenir hors de portée des enfants.

Si la peau recouverte du pansement commence à être douloureuse, ôtez le pansement immédiatement et rincez la plaie à l'eau et au savon.

L'utilisation de ce produit peut occasionnellement entraîner une irritation locale.

Tout effet indésirable doit être signalé à votre médecin ou pharmacien.

A conserver à l'abri de l'humidité à une température inférieure à 25°C.

A conserver à l'abri de source directe de chaleur et de lumière.

• على الأطفال دون 10 سنوات من العمر
• على السيدات الحوامل أو الأمهات اللاتي
• ترضعن صغارهن.
• لا تستعمل بعد تاريخ انتهاء الاستعمال.
• لا تستعمل بعد تاريخ انتهاء الاستعمال.

• إذا استمرت العوارض بدون تحسن استشر طبيبك.
• احفظ بعيداً عن متناول الأطفال.
• إذا بدأت أن تشعر بوجع تحت اللصقة، أزرع اللصقة فوراً وأغسل بالمصابون والماء.
• قد تشعر ببعض التهييج من حين لآخر في منطقة اللصقة أثناء فترة استعمال هذا الإنتاج.
• بلغ عن أي تأثيرات غير مرغوبة قد تشعر بها لطبيبك أو الصيدلي.
• احزن في مكان جاف في درجة حرارة أقل من 25 درجة مئوية. أبتعد عن مصادر الحرارة المباشرة ونور الشمس.

• إرشادات للاستعمال
• يمكن قطع اللصقة إلى الحجم المناسب قبل إزالة ورقة التدعيم الخلفية.
• 1. اضمن أن المنطقة المراد علاجها نظيفة وجافة.
• 2. أزل ورقة التدعيم الخلفية من اللصقة وضعها على المنطقة المصابة.
• 3. يجب أن تزل اللصقة بعد 2-3 أيام.
• 4. ضع لصقة أخرى إذا تطلب الأمر ذلك.

• لا تستعمل اللصقة إذا:
• كنت تعاني من الماء الزرقاء في عينيك
• كانت عندك حساسية ضد اللصقات اللاصقة
• كان جلدك ملتهباً أو مجروحاً
• كنت قد وضعت أي دواء آخر على الجلد
• كنت تستعمل أي دواء يحتوي على مضاد
• للهستامين.
• احتياطات عامة
• لا ينصح باستخدام اللصقة

**Cuxson
Gerrard**

P
MADE IN
ENGLAND

Manufacturer and Product Licence Holder
CUXSON GERRARD & COMPANY LIMITED,
Broadwell Road, Oldbury, West Midlands, B69 4BF, England.

PL0089/5013R

