

NUMARK+

Simple Linctus Sugar Free

Citric Acid

- + Colour free
- + Helps to stop a mild non-specific cough

200 ml^e



Simple Linctus Sugar Free helps to stop a mild non-specific cough.

DO NOT use Simple Linctus Sugar Free if you:

- are allergic to citric acid or any of the other ingredients in this medicine.

Tell your doctor if you are taking other medicines, including medicines obtained without a prescription.

Pregnancy and breast-feeding:

Ask your doctor or pharmacist for advice before taking the Linctus during pregnancy or if you are breast-feeding.

Driving and using machines:

The Linctus has no effect on your ability to drive or use machines.

This Linctus contains:

- small amounts of **ethanol** (alcohol), less than 100 mg per 5 ml dose
- **maltitol liquid (E965)**. If you have been told you have an intolerance to some sugars, contact your doctor before taking this medicine.

How to take:

Only to be taken by mouth

- **Adults:** One 5 ml spoonful taken 3-4 times daily.

- **Children:** Not recommended.

A different formulation of Simple Linctus Sugar Free is available for children. Please see your pharmacist.

If you take more Simple Linctus Sugar Free than you should over a long period of time it may cause erosion of the teeth or local irritation. If you have any further questions on the use of this product, ask your doctor or pharmacist.

Reporting of side effects:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more

information on the safety of this medicine.

Storage:

Keep out of the sight and reach of children. Do not store above 25°C. Do not use after the expiry date which is stated on the label or carton.

Simple Linctus Sugar Free contains:

Citric acid monohydrate 125 mg/5 ml equivalent to 114.29 mg/5 ml anhydrous citric acid.

The **other ingredients** are glycerol (E422), sodium carboxymethylcellulose, sodium benzoate (E211), saccharin sodium (E954), maltitol liquid (E965), ethanol, star anise oil and purified water. 23LL05306PW


Manufacturer:

Pinewood Laboratories Ltd,
Ballymacarby, Clonmel,
Co. Tipperary, Ireland
Or
CP Pharmaceuticals Ltd,
Ash Road North, Wrexham,
LL13 9UF, United Kingdom
(Text revised 03/2018)
PL Number 04917/0006

PIP: 106-1233



5 020441 020754



simple
linctus
sugar
free

simple
linctus
sugar
free

NUMARK+

Simple Linctus Sugar Free Citric Acid

- ⊕ Colour free
- ⊖ Helps to stop a mild non-specific cough

200 ml e



Simple Linctus Sugar Free helps to stop a mild non-specific cough.

DO NOT use Simple Linctus Sugar Free if you:

- are allergic to citric acid or any of the other ingredients in this medicine.

Tell your doctor if you are taking other medicines, including medicines obtained without a prescription.

Pregnancy and breast-feeding:

Ask your doctor or pharmacist for advice before taking the Linctus during pregnancy or if you are breast-feeding.

Driving and using machines:

The Linctus has no effect on your ability to drive or use machines.

This Linctus contains:

- small amounts of **ethanol** (alcohol), less than 100 mg per 5 ml dose
- **maltitol liquid (E965)**. If you have been told you have an intolerance to some sugars, contact your doctor before taking this medicine.

How to take:

Only to be taken by mouth

- **Adults:** One 5 ml spoonful taken 3-4 times daily.

- **Children:** Not recommended.

A different formulation of Simple Linctus Sugar Free is available for children.

Please see your pharmacist.

If you take more Simple Linctus Sugar Free than you should over a long period

of time it may cause erosion of the teeth or local irritation. If you have any further questions on the use of this product, ask your doctor or pharmacist.

Reporting of side effects:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more

information on the safety of this medicine.

Storage:

Keep out of the sight and reach of children. Do not store above 25 °C. Do not use after the expiry date which is stated on the label or carton.

Simple Linctus Sugar Free contains:

Citric acid monohydrate 125 mg/5 ml equivalent to 114.29 mg/5 ml anhydrous citric acid.

The **other ingredients** are glycerol (E422), sodium carboxymethylcellulose, sodium benzoate (E211), saccharin sodium (E954), maltitol liquid (E965), ethanol, star anise oil and purified water. 23LL05306PW

Manufacturer:

Pinewood Laboratories Ltd,
Ballymacarby, Clonmel,
Co. Tipperary, Ireland
Or
CP Pharmaceuticals Ltd,
Ash Road North, Wrexham,
LL13 9UF, United Kingdom
(Text revised 03/2018)
PL Number 04917/0006

PIP: 106-1233



5 010441 010754

simple
linctus
sugar
free